



International Medical Center of Japan

Foyama Hospital, 1-21-1, Toyama, Shinjuku-ku, Tokyo 162-8655 JAPAN
Tel: (81) -3-3202-7181 Fax:(81)-3-3207-1038


Mitsuhiko NODA, MD



Brief CV

Mitsuhiko NODA

MD, PhD, FJSIM, MSc in Electrical Eng.



Current Position / as of June 1, 2009

Director
Department of Diabetes and Metabolic Medicine,
Toyama Hospital
International Medical Center of Japan

Education

1976, March Bachelor of Science (BSc) in Electronic Engineering,
University of Tokyo
1978, March Master of Science (MSc) in Electrical Engineering,
University of Tokyo
1984, March Medical Doctor (MD), University of Tokyo
2009, April PhD (Medicine), University of Tokyo

Positions

1984, May Full Physician's License, Japan
1989, October Board Certified Member of the Japanese Society of Internal
Medicine
1989-95 Assistant Professor,
Dept. of Diabetes and Endocrinology & Dept. of General Medicine,
Omiya Medical Center, Jichi Medical School, Omiya, Japan
1995-97 Visiting Professor, Dept. of Pharmacology,
College of Veterinary Medicine, Cornell University,
Ithaca, NY, USA
1999, May Board of the Japan Diabetes Society
1999, December Board Certified Diabetologist of the Japan Diabetes Society
2000-2001 Assistant Professor, Dept. of Metabolic Diseases,
Tokyo University Hospital, University of Tokyo, Tokyo, Japan
2001, December Fellow of the Japanese Society of Internal Medicine (FJSIM)
2001-2003 Chief Investigator, The Institute for Diabetes Care and Research,
Asahi Life Foundation, Tokyo, Japan
2002-present Associate Professor, Dept. of Metabolic Diseases,
Tokyo University Hospital, University of Tokyo, Tokyo, Japan
2002, June Board of Delegates of the Japan Endocrine Society
2003 Chief Physician and Investigator, The Institute for Diabetes Care and
Research, Asahi Life Foundation, Tokyo, Japan
2004-2005 Director, Department of Endocrinology and Metabolism, Federation
of National Public Service Personnel Mutual Aid Associations
Toranomom Hospital, Tokyo, Japan
2004-present Visiting Fellow, National Institute of Health and Nutrition, Tokyo,
Japan
2005-2007 Director, Department of Endocrinology and Metabolism
& Director, Clinical Laboratory Department,
International Medical Center of Japan, Tokyo, Japan
2005, December Attending Diabetologist of the Japan Diabetes Society
2006-present Associate Professor, National College of Nursing, Tokyo, Japan
2006-present Director, Department of Strategic Outcomes Research Program
Japan Foundation for the Promotion of International Medical
Research Cooperation, Tokyo, Japan
2007-present Associate Professor, Yokohama City University School of Medicine,
Kanagawa, Japan
2007-2008 Director, Department of Diabetes and Metabolic Medicine,
International Medical Center of Japan, Tokyo, Japan

2008-present Director, Department of Diabetes and Metabolic Medicine, Toyama Hospital, International Medical Center of Japan, Tokyo, Japan
2008-present Director, Diabetes and Metabolism Information Center, Toyama Hospital, International Medical Center of Japan, Tokyo, Japan

Recent Publications (since 2005)

Kosaka K, **Noda M**, Kuzuya T: Prevention of type 2 diabetes by lifestyle intervention: a Japanese trial in IGT males. *Diabetes Res Clin Pract* **67**: 152-162, 2005.

Waki K, **Noda M**, Sasaki S, Matsumura Y, Takahashi Y, Isogawa A, Ohashi Y, Kadowaki T, Tsugane S; for the JPHC Study Group: Alcohol consumption and other risk factors for self-reported diabetes among middle-aged Japanese: a population-based prospective study in JPHC Study Cohort I. *Diabetic Med* **22**: 323-331, 2005.

Hara K, Horikoshi M, Kitazato H, Yamauchi T, Ito C, **Noda M**, Ohashi J, Froguel P, Tokunaga K, Nagai R, Kadowaki T: Absence of an association between the polymorphisms in the genes encoding adiponectin receptors and type 2 diabetes. *Diabetologia* **48**: 1307-1314, 2005.

Hara K, Horikoshi M, Kitazato H, Ito C, **Noda M**, Ohashi J, Froguel P, Tokunaga K, Tobe K, Nagai R, Kadowaki T: Hepatocyte nuclear factor-4 α P2 promoter haplotypes are associated with type 2 diabetes in the Japanese population. *Diabetes* **55**: 1260-1264, 2006.

Mizuhashi S, Nakamura K, Mori Y, **Noda M**, Nakanishi K: Insulin allergy and immunologic insulin resistance caused by interleukin-6 in a patient with lung cancer. *Diabetes Care* **29**: 1711-1712, 2006.

Inoue M, Iwasaki M, Otani T, Sasazuki S, **Noda M**, Tsugane S; for the Japan Public Health Center-Based Prospective Study Group: Diabetes mellitus and the risk of cancer: Results from a large-scale population-based cohort study in Japan. *Arch Intern Med* **166**: 1871-1877, 2006.

Terauchi Y, Takamoto I, Kubota N, Matsui J, Suzuki R, Komeda K, Hara A, Toyoda Y, Miwa I, Aizawa S, Tsutsumi S, Tsubamoto Y, Hashimoto S, Eto K, Nakamura A, **Noda M**, Tobe K, Aburatani H, Nagai R, Kadowaki T: Requirement for glucokinase and Irs2 in order to achieve compensatory β -cell hyperplasia in response to high-fat-diet-induced insulin resistance. *J Clin Invest* **117**: 246-257, 2007.

Takasawa H, Takahashi Y, Abe M, Osame K, Watanabe S, Hisatake T, Yasuda K, Kaburagi Y, Kajio H, **Noda M**: An elderly case of type 2 diabetes which developed in association with oral and esophageal candidiasis. *Intern Med* **46**: 387-390, 2007.

Yamashita R, Fujiwara Y, Ikari K, Hamada K, Otomo A, Yasuda K, **Noda M**, Kaburagi Y: Extracellular proteome of human hepatoma cell, HepG2 analyzed using two-dimensional liquid chromatography coupled with tandem mass spectrometry. *Mol Cell Biochem* **298**: 83-92, 2007.

Fukushima-Uesaka H, Saito Y, Maekawa K, Hasegawa R, Suzuki K, Yanagawa T, Kajio H, Kuzuya N, **Noda M**, Yasuda K, Tohkin M, Sawada J. Genetic variations of the ABC transporter gene ABCC3 in a Japanese population. *Drug Metab Pharmacokinet* **22**: 129-135, 2007.

Osame K, Takahashi Y, Takasawa H, Watanabe S, Kishimoto M, Yasuda K, Kaburagi Y, Nakanishi K, Kajio H, **Noda M**: Rapid-onset type 1 diabetes associated with cytomegalovirus infection and islet autoantibody synthesis. *Intern Med* **46**: 873-877, 2007.

Yamamoto-Honda R, Takahashi Y, Yoshida Y, Hara Y, Kawai A, Kitazato H, Tanaka T, Kajio H, Kikuchi M, Akanuma Y, Noda M: Use of insulin glargine in Japanese patients with type 1 diabetes. *Intern Med* **46**: 937-943, 2007.

Fukushima-Uesaka H, Saito Y, Maekawa K, Kamatani N, Kajio H, Kuzuya N, **Noda M**, Yasuda K, Sawada J. Genetic variations and haplotype structures of transcription factor Nrf2 and its cytosolic reservoir protein Keap1 in Japanese. *Drug Metab Pharmacokinet* **22**: 212-219, 2007.

Kaburagi Y, Okochi H, Satoh S, Yamashita R, Hamada K, Ikari K, Yamamoto-Honda R, Terauchi Y, Yasuda K, **Noda M**: Role of IRS and PHIP on insulin-induced tyrosine phosphorylation and distribution of IRS proteins. *Cell Struct Funct* **32**: 69-78, 2007.

Goto A, Kishimoto M, Takahashi Y, Kajio H, **Noda M**: Possible aggravation and recovery of slowly progressive type 1 diabetes by onset and resolution of oral and esophageal candidiasis. *Intern Med* **46**: 1629, 2007.

Watanabe S, Morita A, Aiba N, Miyachi M, Sasaki S, Morioka M, **Noda M**, Takebayashi T, Kimira M for SCOP: Study design of the Saku Control Obesity Program (SCOP). *Anti-aging Medicine* **4**: 70-73, 2007.

Morita A, Ohmori Y, Suzuki N, Ide N, Morioka M, Aiba N, Sasaki S, Miyachi M, **Noda M**, Watanabe S, for SCOPE Group: Anthropometric and clinical findings in obese Japanese: the Saku Control Obesity Program (SCOP). *Anti-aging Medicine* **5**: 13-16, 2008.

Noda M: BMI nomogram. *Clin Nutr* **27**: 168-169, 2008.

Okamoto M, Ohara-Imaizumi M, Kubota N, Hashimoto S, Eto K, Kanno T, Kubota T, Wakui M, Nagai R, **Noda M**, Nagamatsu S, Kadowaki T: Adiponectin induces insulin secretion in vitro and in vivo at a low glucose concentration. *Diabetologia* **51**: 827-835, 2008.

Goto A, Takahashi Y, Kishimoto M, Tanabe A, Kajio H, MD, Hasuo K, **Noda M**: Hypopituitarism caused by bilateral internal carotid artery aneurysms with carotido-cavernous fistula. *Intern Med* **47**: 815-816, 2008.

Goto A, Takahashi Y, Kishimoto M, Nakajima Y, Nakanishi K, Kajio H, **Noda M**: A case of fulminant type 1 diabetes associated with significant elevation of mumps titers. *Endocr J* **55**: 501-504, 2008.

Kato M, Takahashi Y, Inoue M, Tsugane S, Kadowaki T, and **Noda M**; for JPHC study group. Comparisons between anthropometric indices for predicting the metabolic syndrome in Japanese. *Asia Pacific J Clin Nutr* **17**: 223-228, 2008.

Yamamoto-Honda R, Kitazato H, Hashimoto S, Takahashi Y, Yoshida Y, Hasegawa C, Akanuma Y, **Noda M**: Distribution of blood glucose and correlation between blood glucose and hemoglobin A1c levels in diabetic outpatients. *Endocrine J* **55**: 913-923, 2008.

Seike N, **Noda M**, Kadowaki T: Alcohol consumption and risk of type 2 diabetes mellitus in Japanese: a systematic review. *Asia Pacific J Clin Nutr* **17**: 545-551, 2008.

Matsushita Y, Takahashi Y, Mizoue T, Inoue M, **Noda M**; Tsugane S; for the JPHC Study Group: Overweight and obesity trends among Japanese adults: a ten-year follow-up of the JPHC Study. *Int J Obes* **32**: 1861-1867, 2008.

Goto A, Takahashi Y, Kishimoto M, Minowada S, Aibe H, Hasuo K, Kajio H, **Noda M**: Primary aldosteronism associated with severe rhabdomyolysis due to profound hypokalemia. *Intern Med* **48**: 219-223, 2009.

Inoue M, Kurahashi N, Iwasaki M, Tanaka Y, Mizokami M, **Noda M**, Tsugane S; Japan Public Health Center-based Prospective Study Group: Metabolic factors and subsequent risk of hepatocellular carcinoma by hepatitis virus infection status: a large-scale population-based cohort study of Japanese men and women (JPHC Study Cohort II). *Cancer Causes Control* **20**: 741-750, 2009.

Inoue M, **Noda M**, Kurahashi N, Iwasaki M, Sasazuki S, Iso H, Tsugane S; Japan Public Health Center-based Prospective Study Group: Impact of metabolic factors on subsequent cancer risk: results from a large-scale population-based cohort study in Japan. *Eur J Cancer Prev* **18**: 240-247, 2009.

Kato M, **Noda M**, Inoue M, Kadowaki T, Tsugane S, for the JPHC Study Group: Psychological factors and risk of diabetes mellitus among middle-aged Japanese: a population-based prospective study in the JPHC study cohort. *Endocrine J* : in press, 2009.

Takarabe D, Kishimoto M, Tanaka T, Takahashi Y, Kajio H, Harano K, **Noda M**: Hemoglobin variant HbE found in two South Asian diabetic patients. *Intern Med* : in press, 2009.

Kato M, **Noda M**, Suga H, Matsumoto M, Kanazawa Y, for the Omiya MA Cohort Study Group: Fasting plasma glucose and incidence of diabetes --- implication for the threshold for impaired fasting glucose: results from the population-based Omiya MA Cohort Study. *J Atheroscler Thromb* : in press, 2009.